EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3214	(client user) with (request$4 receiv$4) with (value information) with (proxy mediat$5 intermediat$4 server) and attribute near4 value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:28
L2	960	1 and (server sources) with (send$4 deliver$4 provid$4 present$4 supply$4 communicat$4 transfer$4 transmit$4) with value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:31
L3	766	2 and (first second) with (server supply$4 provider)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:32
L4	25	3 and (client user) with request$4 with value same determin$4 same (value with received) same satisfy$4 same (request$4 criteria)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:35
L5	25	3 and (client user) with request$4 with value same determin$4 same (value with received) same satisfy$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:40
L6	32	3 and (client user) with request$4 with value same determin$4 same (value with received) same (match$5 satisf$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:40
L7	7	6 not abbott.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:41
L8	25059	709/224,206,202, 203;719/318;706/45,60,61,65, 14,15;715/708,709,744-748.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:46
L9	6449	8 and (provid$4 present$4) with (information value) with (client user) not abbott.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:46

L10	378	9 and (match$4 satis$5) with (indicated requested)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:48
L11	7	10 and (send$4 receiv$4 request$4) with (supplem$5 additional) with value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:49
L12	97788	first with (service information value) with (source provider server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:54
L13	62679	12 and second with (service information value) with (source provider server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:55
L14	11216	13 and (information value) same (proxy mediat$5 intermed$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:56
L15	3881	14 and (first second) with (information value) same (proxy mediat$5 intermed$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:56
L16	2739	14 and (first with second) with (information value) same (averag$4 estimat$4 proxy mediat$5 intermed$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:57
L17	42	16 and determin$4 with (first with second) with (information value) same (satisf$4 match$4) same request$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:59
L18	3	17 and mediat$4 with value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:59

L19	5	17 and mediat$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:00
L20	39	17 not abbott.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:00
L21	1361	14 and (first with second) with (value) same (averag$4 estimat$4 proxy mediat$5 intermed$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:07
L22	4	14 and determin$5 same (first with second) with (value) same (averag$4 estimat$4 proxy mediat$5 intermed$5 middle) same (satisf$4 same request$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:08
L23	47	determin$5 with (first with second) with (value) same (satisf$4 same request$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:09
L24	32	determin$5 with (first with second) with (value) same (satisf$4 with request$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:09
L25	0	(computer method) NEAR5 providing WITH mediated NEAR6 (value information) WITH current near5 user near6 (state context$4 condition) with model$5 with (multiple several more) with (variables conditions context$4 state attributes).CLM.	US-PGPUB	OR	ON	2008/02/19 11:18
L26	0	((computer method) NEAR5 providing WITH mediated NEAR6 (value information) WITH current near5 user near6 (state context$4 condition) with model$5 with (multiple several more) with (variables conditions context$4 state attributes)). CLM.	US-PGPUB	OR	ON	2008/02/19 11:19

L27	0	(providing WITH mediated NEAR6 (value information) WITH current near5 user near6 (state context$4 condition)). clm.	US-PGPUB	OR	ON	2008/02/19 11:19
L28	10	(determin$4 with first with second with value with satisf$4) with (request$4 criteria).clm.	US-PGPUB	OR	ON	2008/02/19 11:21
L29	1	28 and (receiv$4 with additional with values with (satisf$5 indicated) with attribute).clm.	US-PGPUB	OR	ON	2008/02/19 11:24
L30	2	28 and ((generat$4 produc$4) with (averag$4 estimat$4 mediat$4) with value).clm.	US-PGPUB	OR	ON	2008/02/19 11:26
L31	1	28 and (send$4 with (client user) with mediated with value with indicated sith state near attribute).clm.	US-PGPUB	OR	ON	2008/02/19 11:28